



GARAGES

GARAGES



PALMAKO GARAGE
RASMUS 19,0 m²
KIT WITHOUT DOOR



PALMAKO GARAGE
RASMUS 19,0 m²
WITH WOODEN GATE



PALMAKO GARAGE
RASMUS 19,0 m²
WITH SECTIONAL DOOR



PALMAKO GARAGE
ROGER 19,0 m²
KIT WITHOUT DOOR



PALMAKO GARAGE
ROGER 19,0 m²
WITH WOODEN GATE



PALMAKO GARAGE
ROGER 19,0 m²
WITH SECTIONAL DOOR



PALMAKO GARAGE
ROGER 23,9 m²
KIT WITHOUT DOOR



PALMAKO GARAGE
ROGER 23,9 m²
WITH WOODEN GATE



PALMAKO GARAGE
ROGER 23,9 m²
WITH SECTIONAL DOOR



PALMAKO GARAGE
ROGER 27,7 m²
KIT WITHOUT DOOR



PALMAKO GARAGE
ROGER 27,7 m²
WITH WOODEN GATE



PALMAKO GARAGE
ROGER 27,7 m²
WITH SECTIONAL DOOR



PALMAKO GARAGE
ROGER 21,9+5,2 m²
KIT WITHOUT DOOR



PALMAKO GARAGE
ROGER 21,9+5,2 m²
WITH WOODEN GATE



PALMAKO GARAGE
ROGER 21,9+5,2 m²
WITH SECTIONAL DOOR



PALMAKO GARAGE
ROGER 28,4 m²
KIT WITHOUT DOOR



PALMAKO GARAGE
ROGER 28,4 m²
WITH WOODEN GATE



PALMAKO GARAGE
ROGER 28,4 m²
WITH SECTIONAL DOOR



PALMAKO NORDIC GARAGE
STEN 22,9 m²
KIT WITHOUT DOOR



PALMAKO NORDIC GARAGE
STEN 22,9 m²
WITH SECTIONAL DOOR



PALMAKO NORDIC+ GARAGE
ANDRE 21,5 m²
KIT WITHOUT DOOR



PALMAKO NORDIC+ GARAGE
ANDRE 21,5 m²
WITH SECTIONAL DOOR



PALMAKO NORDIC+ GARAGE
ANDRE 28,5 m²
KIT WITHOUT DOOR



PALMAKO NORDIC+ GARAGE
ANDRE 28,5 m²
WITH SECTIONAL DOOR



PALMAKO NORDIC+ GARAGE
ANDRE 44,7 m²
KIT WITHOUT DOOR



PALMAKO NORDIC+ GARAGE
ANDRE 44,7 m²
WITH SECTIONAL DOOR

ENGINE SET FOR GARAGE SECTIONAL DOOR

ARTICLE NUMBER: 108561



MODEL SPECIFICATIONS

Motor measures: 600x250x350 mm

Rail measures: 3000x50x100 mm

Weight: 10+5 kg

GARAGE

Engine Set

Roger 19,0 m ² with sectional door	108561
Roger 23,9 m ² with sectional door	108561
Roger 27,7 m ² with sectional door	108561
Roger 21,9+5,2 m ² with sectional door	108561
Roger 28,4 m ² with sectional door	108561
Sten 22,9 m ² with sectional door	108561
Andre 21,5 m ² with sectional door	108561
Andre 28,5 m ² with sectional door	108561
Andre 44,7 m ² with sectional door	108561

The set includes two remote controls.
Depending on the model of the garage,
additional accessories may be required
for installation.

Electrical connection required!

PALMAKO GARAGE RASMUS 19,0 m² WITH WOODEN GATE


ARTICLE NUMBER: 102415



Rasmus 19,0 m² kit without door
Article number: 101894



Rasmus 19,0 m² with sectional door
Article number: 102419
Sectional door opening measurements:
221x188 cm
Art. No. Sectional door: 103516



MODEL SPECIFICATIONS

Log measurements: 380x570 cm

Volume: 44,5 m³

Door/window type: Garden

Door/window glass:

Real glass, 4 mm

Window opening

measurements: 70x43 cm

Door opening

measurements: 73x183 cm

Wooden gate opening

measurements: 225x194 cm

Art. No. Wooden gate: 103555

Roof boards: 19 mm

Roof area: 24,5 m²

Roof gradient: 1,8°


Gross ground area: 19,8 m²

OPTIONAL


Strong purlins from laminated wood.

Roofing felt (underlayer): 6 rolls, SBS roofing material: 6 rolls, EPDM, roofing nails, rain gutters, extension, canopy roof, additional door and window.


See Optional Products p. 242-257 for details.



44 mm



A: 228 cm
B: 253 cm



-

PALMAKO GARAGE ROGER 19,0 m² WITH WOODEN GATE

ARTICLE NUMBER: 102347




Roger 19,0 m² kit without door
Article number: 101899



Roger 19,0 m² with sectional door
Article number: 102355
Sectional door opening
measurements: 221x188 cm
Art. No. Sectional door: 103516



Engine set for
garage sectional
door as an optional
extra



MODEL SPECIFICATIONS

Log measurements: 380x570 cm

Volume: 45,9 m³

Door/window type: Garden+

Door/window glass:

Double glass, 3-6-3 mm

**Window opening
measurements:** 119x89 cm

**Door opening
measurements:** 73x175 cm

Wooden gate opening

measurements: 225x194 cm

Art. No. Wooden gate: 103555

Roof boards: 19 mm

Roof area: 25,4 m²

Roof gradient: 16,3°

Gross ground area: 19,8 m²

OPTIONAL

Roofing felt (underlayer): 6 rolls, SBS roofing material: 6 rolls, shingles: 10 packs, roofing nails, rain gutters, extension, canopy roof, additional door and window, engine set for garage sectional door.

See Optional Products p. 242-257 for details.

Double glazed.

Strong purlins from laminated wood.

TREATMENT OPTIONS



natural,
untreated wood




brown dip




grey dip




clear white dip



44 mm



A: 217 cm
B: 276 cm



-

Roger 19,0 m² kit without door	101899	101900	101902	101901
Roger 19,0 m² with wooden gate	102347	102348	102350	102349
Roger 19,0 m² with sectional door	102355	102356	102358	102357

PALMAKO GARAGE ROGER 23,9 m² WITH WOODEN GATE

ARTICLE NUMBER: 102498

PALMAKO GARAGES

154-171




Roger 23,9 m² kit without door
Article number: 101903



Roger 23,9 m² with sectional door
Article number: 102502
Sectional door opening measurements: 221x188 cm
Art. No. Sectional door: 103516



Engine set for garage sectional door as an optional extra



MODEL SPECIFICATIONS

Log measurements: 470x570 cm

Volume: 59,0 m³

Door/window type: Garden+

Door/window glass:

Double glass, 3-6-3 mm

Window opening

measurements: 119x89 cm

Door opening

measurements: 73x175 cm

Wooden gate opening

measurements: 225x194 cm

Art. No. Wooden gate: 103555

Roof boards: 19 mm

Roof area: 31,7 m²

Roof gradient: 15,7°

Gross ground area: 24,8 m²


OPTIONAL

Roofing felt (underlayer): 7 rolls, SBS roofing material: 7 rolls, shingles: 12 packs, roofing nails, rain gutters, extension, canopy roof, additional door and window, engine set for garage sectional door.


See Optional Products p. 242-257 for details.

Double glazed.


Strong purlins from laminated wood.



44 mm



A: 217 cm
B: 287 cm



-

TREATMENT OPTIONS



natural, untreated wood



brown dip



grey dip



clear white dip

Roger 23,9 m² kit without door

Roger 23,9 m² kit without door

101903

101904

101906

101905

Roger 23,9 m² with wooden gate

Roger 23,9 m² with wooden gate

102498

102499

102501

102500

Roger 23,9 m² with sectional door

Roger 23,9 m² with sectional door

102502

102503

102505

102504

PALMAKO GARAGE ROGER 27,7 m² WITH WOODEN GATE

ARTICLE NUMBER: 102379




Roger 27,7 m² kit without door
Article number: 101911



Roger 27,7 m² with sectional door
Article number: 102383
Sectional door opening
measurements: 221x188 cm
Art. No. Sectional door: 103516



Engine set for
garage sectional
door as an optional
extra



MODEL SPECIFICATIONS

Log measurements: 560x560 cm

Volume: 73,9 m³

Door/window type: Summer

Door/window glass:

Double glass, 3-9-3 mm

Window opening

measurements: 117x92 cm

Door opening

measurements: 73x183 cm

Wooden gate opening

measurements: 225x194 cm

Art. No. Wooden gate: 103587

Roof boards: 19 mm

Roof area: 37,8 m²

Roof gradient: 15,7°

Gross ground area: 29,2 m²

OPTIONAL

Roofing felt (underlayer): 8 rolls, SBS roofing material: 8 rolls, shingles: 14 packs, roofing nails, rain gutters, extension, canopy roof, additional door and window, engine set for garage sectional door.

See Optional Products p. 242-257 for details.

Double glazed.

Strong purlins from laminated wood.

TREATMENT OPTIONS



natural,
untreated wood




brown dip




grey dip




clear white dip



70 mm



A: 230 cm
B: 312 cm



–

Roger 27,7 m² kit without door

101911

101912

101914

101915

Roger 27,7 m² with wooden gate

102379

102380

102382

102381

Roger 27,7 m² with sectional door

102383

102384

102386

102385

PALMAKO GARAGE ROGER 21,9+5,2 m² WITH WOODEN GATE

ARTICLE NUMBER: 102482



PALMAKO GARAGES
154-171




Roger 21,9+5,2 m² kit without door
Article number: 101872



Roger 21,9+5,2 m² with sectional door
Article number: 102486
Sectional door opening measurements:
221x188 cm
Art. No. Sectional door: 103516



Engine set for garage sectional door as an optional extra



MODEL SPECIFICATIONS

Log measurements: 530x570 cm

Volume: 60,0 m³

Door/window type: Garden+

Door/window glass:

Double glass, 3-6-3 mm

Window opening measurements: 78x89 cm

Door opening measurements: 73x175 cm

Wooden gate opening

measurements: 225x194 cm

Art. No. Wooden gate: 103555

Roof boards: 19 mm

Roof area: 35,4 m²

Roof gradient: 18,7°

Gross ground area: 28,1 m²

OPTIONAL

Roofing felt (underlayer): 7 rolls, SBS roofing material: 7 rolls, shingles: 14 packs, roofing nails, rain gutters, extension, canopy roof, additional door and window, engine set for garage sectional door.

See Optional Products p. 242-257 for details.

Double glazed.
Strong purlins
from laminated wood.
Can be built in reverse!



TREATMENT OPTIONS



natural,
untreated wood




brown dip




grey dip




clear white dip



44 mm



A: 228 cm
B: 321 cm



-

ROGER 21,9+5,2 m² KIT WITHOUT DOOR

101872

101873

101875

101874

ROGER 21,9+5,2 m² WITH WOODEN GATE

102482

102483

102485

102484

ROGER 21,9+5,2 m² WITH SECTIONAL DOOR

102486

102487

102489

102488

PALMAKO GARAGE ROGER 28,4 m² WITH WOODEN GATE

ARTICLE NUMBER: 102399




Roger 28,4 m² kit without door
Article number: 101907



Roger 28,4 m² with sectional door
Article number: 102403
Sectional door opening measurements:
221x188 cm
Art. No. Sectional door: 103516



Engine set for garage sectional door as an optional extra



MODEL SPECIFICATIONS

Log measurements: 595x530 cm

Volume: 73,5 m³

Door/window type: Garden+

Door/window glass:

Double glass, 3-6-3 mm

Window opening

measurements: 119x89 cm

Door opening

measurements: 73x175 cm

Wooden gate opening

measurements: 225x194 cm

Art. No. Wooden gate: 103555

Roof boards: 19 mm

Roof area: 36,8 m²

Roof gradient: 16,8°

Gross ground area: 29,3 m²

OPTIONAL

Roofing felt (underlayer): 9 rolls, SBS roofing material: 9 rolls, shingles: 14 packs, roofing nails, rain gutters, extension, canopy roof, additional door and window, engine set for garage sectional door.

See Optional Products p. 242-257 for details.

Double glazed.

Strong purlins from laminated wood.

TREATMENT OPTIONS



natural,
untreated wood




brown dip




grey dip




clear white dip



44 mm



A: 217 cm
B: 310 cm



–

Roger 28,4 m² kit without door

101907

101908

101910

101909

Roger 28,4 m² with wooden gate

102399

102400

102402

102401

Roger 28,4 m² with sectional door

102403

102404

102406


102405

PRE-FABRICATED PALMAKO NORDIC GARAGES WITH ELEMENT THICKNESS OF 88 MM

These contemporary-style buildings with a Scandinavian look and quality are most suitable for a city garden. Palmako Garages represent our most modern and innovative pre-fabricated garage models.

These models have 40 mm EPS (Expanded polystyrene) insulated doors, which makes them especially rain and wind resistant.


1. Plywood 10mm
2. Plywood 10mm
3. EPS 50 40mm insulation
4. Wooden skeleton 40x40mm
5. Wooden laminated frame 44x105mm
6. Hardwood 28x93mm threshold
7. Hinge 115x84x3mm (3x)
8. 565 lock and lock box



Ready-made wall elements are covered with wind-protection plastic inside, making these houses extremely weatherproof, especially rain and wind resistant. 70 mm frame construction is perfect for hiding cabling (wires, pipes, etc) as well as for the same thickness of insulation. All the garages have double thermo glazing and outwards-opening windows.

Total element thickness by Nordic garages is 88 mm. Here is a cross section of an element just to get better understanding of what these elements look like and consist of:

1. 34x70mm frame
2. Wind-protection plastic
3. 18mm fine sawn cladding



PALMAKO NORDIC GARAGE STEN 22,9 m²

ARTICLE NUMBER: 109010

ONE SET – MANY HOUSES!

A model contains a set of wall and window-door elements, which can be rearranged in several ways. This results in multiple appearance options for the garage.



PALMAKO NORDIC GARAGE STEN 22,9 m²

ARTICLE NUMBER: 109040


WITH SECTIONAL DOOR



Sten 22,9 m² kit without door
Article number: 109010



Engine set for
garage sectional
door as an optional
extra



MODEL SPECIFICATIONS

Wall measurements: 357x697 cm

Volume: 55,0 m³

Door/window type: Summer

Door/window glass: Double glass, 3-9-3 mm

Window opening measurements: 69x38 cm

Door opening measurements:

73x186, 78x181, 221x188 cm

Door sill: hard wood

Roof boards: 19 mm

Roof area: 32,0 m²

Roof gradient: 20,0°


Gross ground area: 24,9 m²

OPTIONAL


Roofing felt (underlayer): 5 rolls, SBS roofing material: 5 rolls, shingles: 13 packs, roofing nails, rain gutters, additional door and window, canopy roof, additional door and window, engine set for garage sectional door. See Optional Products p. 242-257 for details.



88 mm



A: 203 cm
B: 290 cm




-

PRE-FABRICATED PALMAKO NORDIC+ GARAGES WITH ELEMENT THICKNESS OF 160 MM

These Scandinavian-style garages are suitable for any garden that lacks strong, weather-resistant buildings where you can be with your family and friends. Feel free to take your time and delve into the following pages of our best choice of modern, pre-fabricated Nordic+ garages.

Ready-made wall elements are covered with wind-protection plastic inside, making these garages extremely weatherproof, especially rain and wind-resistant. It is comfortable to be in a building when it is warm - we have thought about it and given you an opportunity for 95 mm insulation. You can insulate walls, floors and ceilings. For better ventilation we have added ventilation battens after cladding. All the garages have double thermo glazing and outwards-opening windows. These models have 40 mm EPS (expanded polystyrene) insulated doors.



Total element thickness by Nordic+ garages is 160 mm. Here is a cross section of an element just to get a better understanding of what these elements look like and consist of:

1. 44x95mm frame
2. Wind-protection plastic
3. 19x45mm ventilation battens
4. 28x70mm cladding support battens
5. 18mm fine sawn cladding

One set – many houses!

A model contains set of wall and window-door elements, which can be rearranged in several ways. This results in multiple appearance options for the house.

NORDIC+ GARAGE ANDRE 28.5 m² WITH SECTIONAL DOOR

ARTICLE NUMBER: 101167



ANDRE OPTION 1



ANDRE OPTION 2



ANDRE OPTION 3



ANDRE OPTION 4



PALMAKO NORDIC+ GARAGES MODULE DESIGN

PALMAKO NORDIC+ GARAGE ANDRE 21,5 m²

ARTICLE NUMBER: 101159


WITH SECTIONAL DOOR



Andre 21,5 m² kit without door
Article number: 108613



Engine set for garage sectional door as an optional extra



MODEL SPECIFICATIONS

Wall measurements: 448x548 cm

Volume: 55,4 m³

Door/window type: Summer

Door/window glass:

Double glass, 3-9-3 mm

Window opening

measurements: 69x38 cm

Door opening measurements:

78x191, 221x188 cm

Door sill: hard wood

Roof boards: 19 mm

Roof area: 30,4 m²

Roof gradient: 20,0°

Gross ground area: 24,6 m²

OPTIONAL

Roofing felt (underlayer): 7 rolls, SBS roofing material: 7 rolls, shingles: 13 packs, roofing nails, rain gutters, additional door and window, canopy roof, engine set for garage sectional door.

See Optional Products p. 242-257 for details.

Door and window elements can be swapped.

Double glazed.


Trendy look! Fine-sawn cladding.

Ready-made wall elements with wind protection plastic!


Sectional door included.



160 mm



A: 216 cm
B: 316 cm



-

PALMAKO NORDIC+ GARAGE ANDRE 28,5 m²

ARTICLE NUMBER: 101167


WITH SECTIONAL DOOR



Andre 28,5 m² kit without door
Article number: 108614



Engine set for garage sectional door as an optional extra



MODEL SPECIFICATIONS

Wall measurements: 557x576 cm

Volume: 78,3 m³

Door/window type: Summer

Door/window glass:

Double glass, 3-9-3 mm

Window opening

measurements: 69x38 cm

Door opening

measurements: 78x191, 221x188 cm

Door opening

measurements: 78x181, 221x188 cm

Door sill: hard wood

Roof boards: 19 mm

Roof area: 39,8 m²

Roof gradient: 20,0°

Gross ground area: 32,1 m²

Door and window elements can be swapped.

Double glazed.

Trendy look! Fine-sawn cladding.

Ready-made wall elements with wind protection plastic!

Sectional door included.


OPTIONAL

Roofing felt (underlayer): 7 rolls, SBS roofing material: 7 rolls, shingles: 15 packs, roofing nails, rain gutters, additional door and window, canopy roof, engine set for garage sectional door.


See Optional Products p. 242-257 for details.



160 mm



A: 216 cm
B: 337 cm



-

PALMAKO NORDIC+ GARAGE ANDRE 44,7 m²

ARTICLE NUMBER: 108616


WITH SECTIONAL DOOR



Andre 44,7 m² kit without door
Article number: 108615



Engine set for garage sectional door as an optional extra



MODEL SPECIFICATIONS

Wall measurements: 665x739 cm

Volume: 142,0 m³

Door/window type: Summer

Door/window glass:

Double glass, 3-9-3 mm

Window opening

measurements: 68x37 cm

Door opening

measurements: 78x191, 221x188 cm

Door opening

measurements: 78x181, 221x188 cm

Door sill: hard wood

Roof boards: 19 mm

Roof area: 60,0 m²

Roof gradient: 20,0°

Gross ground area: 49,1 m²

Door and window element can be swapped.

Double glazed.

Trendy look! Fine-sawn cladding.

Ready-made wall elements with wind

protection plastic!

Sectional door included.

OPTIONAL


Roofing felt (underlayer): 11 rolls, SBS roofing material: 11 rolls, shingles: 23 packs, roofing nails, rain gutters,

additional door and window, canopy roof, engine set for garage sectional door.


See Optional Products p. 242-257 for details.



160 mm



A: 216 cm
B: 357 cm



-

OPTIONAL PRODUCTS

SEE OPTIONAL PRODUCTS, PAGES 242-257

House	Art. No.	Roofing felt, rolls	SBS roofing material, rolls	Shingles ¹ , packs	Roofing nails, 1 kg	EPDM ²	Rain gutters	Extension	Canopy roof	Garage wooden door	Garage sectional door	Additional door	Additional window	Engine set for garage sectional door
Rasmus 19,0 m ² kit without door	101894	107210, 6 rolls	107214, 6 rolls		107950	107172	106628	102801	103168	103555	103516	107053	100094	
Rasmus 19,0 m ² with wooden gate	102415	107210, 6 rolls	107214, 6 rolls		107950	107172	106628	102801	103168	103555		107053	100094	
Rasmus 19,0 m ² with sectional door	102419	107210, 6 rolls	107214, 6 rolls		107950	107172	106628	102801	103168		103516	107053	100094	
Roger 19,0 m ² kit without door	101899	107210, 6 rolls	107214, 6 rolls	10 packs	107950		106632	102801	103168	103555	103516	107060	106690	
Roger 19,0 m ² with wooden gate	102347	107210, 6 rolls	107214, 6 rolls	10 packs	107950		106632	102801	103168	103555		107060	106690	
Roger 19,0 m ² with sectional door	102355	107210, 6 rolls	107214, 6 rolls	10 packs	107950		106632	102801	103168		103516	107060	106690	108561
Roger 23,9 m ² kit without door	101903	107210, 7 rolls	107214, 7 rolls	12 packs	107950		106632	102801	103168	103555	103516	107060	106690	
Roger 23,9 m ² with wooden gate	102498	107210, 7 rolls	107214, 7 rolls	12 packs	107950		106632	102801	103168	103555		107060	106690	
Roger 23,9 m ² with sectional door	102502	107210, 7 rolls	107214, 7 rolls	12 packs	107950		106632	102801	103168		103516	107060	106690	108561
Roger 27,7 m ² kit without door	101911	107210, 8 rolls	107214, 8 rolls	14 packs	107950		106632	102801	103168	103587	103516	107105	106715	
Roger 27,7 m ² with wooden gate	102379	107210, 8 rolls	107214, 8 rolls	14 packs	107950		106632	102801	103168	103587		107105	106715	
Roger 27,7 m ² with sectional door	102383	107210, 8 rolls	107214, 8 rolls	14 packs	107950		106632	102801	103168		103516	107105	106715	108561
Roger 21,9+5,2 m ² kit without door	101872	107210, 7 rolls	107214, 7 rolls	14 packs	107950		106632	102801	103168	103555	103516	107060	100095	
Roger 21,9+5,2 m ² with wooden gate	102482	107210, 7 rolls	107214, 7 rolls	14 packs	107950		106632	102801	103168	103555		107060	100095	
Roger 21,9+5,2 m ² with sectional door	102486	107210, 7 rolls	107214, 7 rolls	14 packs	107950		106632	102801	103168		103516	107060	100095	108561
Roger 28,4 m ² kit without door	101907	107210, 9 rolls	107214, 9 rolls	14 packs	107950		106632	102801	103168	103555	103516	107060	106690	
Roger 28,4 m ² with wooden gate	102399	107210, 9 rolls	107214, 9 rolls	14 packs	107950		106632	102801	103168	103555		107060	106690	
Roger 28,4 m ² with sectional door	102403	107210, 9 rolls	107214, 9 rolls	14 packs	107950		106632	102801	103168		103516	107060	106690	108561

¹ Shingles are available in different colours - 107180 = Black, 107182 = Red, 107183 = Green, 107181 = Brown.

² Includes glue for EPDM installation. Read more about EPDM p. 249.

The article number is indicated to untreated items, for treated items ask our sales team.

OPTIONAL PRODUCTS

SEE OPTIONAL PRODUCTS, PAGES 242-257

House	Art. No.	Roofing felt, rolls	SBS roofing material, rolls	Shingles ¹ , packs	Roofing nails, 1 kg	Rain gutters	Canopy roof	Garage sectional door	Additional door	Additional window	Engine set for garage sectional door
Sten 22,9 m ² kit without door	109010	107210 5 rolls	107214 5 rolls	13 packs	107930	2 x 106630					
Sten 22,9 m ² with sectional door	109040	107210 5 rolls	107214 5 rolls	13 packs	107930	2 x 106630		103516	107023, 109170	107297	
Andre 21,5 m ² kit without door	108613	107210 7 rolls	107214 7 rolls	13 packs	107930	106632	108623	103516	107329	107297	108561
Andre 21,5 m ² with sectional door	101159	107210 7 rolls	107214 7 rolls	13 packs	107930	106632	108623	103516	107329	107297	108561
Andre 28,5 m ² kit without door	108614	107210 7 rolls	107214 7 rolls	15 packs	107930	106629 + 106630	108623	103516	107329	107297	
Andre 28,5 m ² with sectional door	101167	107210 7 rolls	107214 7 rolls	15 packs	107930	106629 + 106630	108623	103516	107329	107297	108561
Andre 44,7 m ² kit without door	108615	107210 11 rolls	107214 11 rolls	23 packs	107930	2 x 106630	108623	103516	107329	107297	
Andre 44,7 m ² with sectional door	108616	107210 11 rolls	107214 11 rolls	23 packs	107930	2 x 106630	108623	103516	107329	107297	108561

¹ Shingles are available in different colours - 107180 = Black, 107182 = Red, 107185 = Green, 107181 = Brown.





CARPORTS

CARPORTS



PALMAKO CARPORT
ROBERT 11,7 m²



PALMAKO CARPORT
ROBERT 20,6 m²



PALMAKO CARPORT
KARL 11,7 m²



PALMAKO CARPORT
KARL 23,1 m²




PALMAKO CARPORT
KARL 20,6 m²



PALMAKO CARPORT
KARL 40,6 m²

PALMAKO CARPORT ROBERT 11,7 m²

ARTICLE NUMBER: 101013



Strong posts from laminated wood.

TREATMENT OPTIONS



101014
brown dip




101016
grey dip




101015
clear white dip




108955
white primer



120x120 mm



A: 199 cm
B: 299 cm



-

MODEL SPECIFICATIONS

Measurements:

315x372 cm

Volume: 30,8 m³

Roof boards: 19 mm

Roof area: 20,1 m²

Roof gradient: 25,0°

Gross ground area: 11,7 m²

OPTIONAL


Roofing felt (underlayer): 5 rolls, SBS roofing material: 5 rolls, shingles: 8 packs, roofing nails, rain gutters, anchors.

See Optional Products p. 242-257 for details.



PALMAKO CARPORT ROBERT 20,6 m²

ARTICLE NUMBER: 101029



Strong posts and purlins from laminated wood.

TREATMENT OPTIONS



101030
brown dip



101032
grey dip




101031
clear white dip



108956
white primer



120x120 mm



A: 199 cm
B: 363 cm



-

MODEL SPECIFICATIONS

Measurements:

555x372 cm

Volume: 61,5 m³

Roof boards: 19 mm

Roof area: 35,8 m²

Roof gradient: 25,0°

Gross ground area: 20,6 m²

OPTIONAL

Roofing felt (underlayer): 9 rolls, SBS roofing material: 9 rolls, shingles: 14 packs, roofing nails, rain gutters, anchors.


See Optional Products p. 242-257 for details.



PALMAKO CARPORT KARL 11,7 m²

ARTICLE NUMBER: 101021

under
2,5m



Strong posts from laminated wood.



Arch from laminated wood

MODEL SPECIFICATIONS

Measurements: **Roof area:** 18,0 m²
 360x512 cm **Roof gradient:** 1,1°
Volume: 39,6 m³ **Gross ground area:** 11,7 m²
Roof boards: 19 mm

OPTIONAL

Roofing felt (underlayer): 6 rolls, SBS roofing material: 6 rolls, roofing nails, EPDM, rain gutters, anchors, arch from laminated wood. See Optional Products p. 242-257 for details.

TREATMENT OPTIONS

			
101022 brown dip	101024 grey dip	101023 clear white dip	108957 white primer
			
120x120 mm	A: 215 cm B: 232 cm	-	

PALMAKO CARPORT KARL 23,1 m²

ARTICLE NUMBER: 101025

under
2,5m



Strong posts from laminated wood.
 Extension is an optional extra.
 See Optional Products.



Arch from laminated wood

MODEL SPECIFICATIONS

Measurements: **Roof area:** 27,4 m²
 360x762 cm **Roof gradient:** 1,1°
Volume: 60,0 m³ **Gross ground area:** 23,1 m²
Roof boards: 19 mm

OPTIONAL

Roofing felt (underlayer): 6 rolls, SBS roofing material: 6 rolls, roofing nails, EPDM, rain gutters, anchors, arch from laminated wood, extension. See Optional Products p. 242-257 for details.

TREATMENT OPTIONS

			
101026 brown dip	101028 grey dip	101027 clear white dip	108958 white primer
			
120x120 mm	A: 215 cm B: 232 cm	-	

PALMAKO CARPORT KARL 20,6 m²


under
2,5m

ARTICLE NUMBER: 101033



PALMAKO CARPORTS

172-179



Strong posts from laminated wood.



TREATMENT OPTIONS



101034
brown dip



101036
grey dip




101035
clear white dip



108959
white primer



120x120 mm



A: 221 cm
B: 244 cm



-

MODEL SPECIFICATIONS

Measurements:

600x512 cm

Volume: 67,8 m³

Roof boards: 19 mm

Roof area: 30,7 m²

Roof gradient: 1,1°

Gross ground area:

20,6 m²

OPTIONAL

Roofing felt (underlayer): 7 rolls, SBS roofing material: 7 rolls, roofing nails, EPDM, rain gutters, anchors, arch from laminated wood. See Optional Products p. 242-257 for details.



Arch from laminated wood


PALMAKO CARPORT KARL 40,6 m²

ARTICLE NUMBER: 101037

under
2,5m



Arch from laminated wood



Strong posts from laminated wood.

Extension is an optional extra.

See Optional Products.

MODEL SPECIFICATIONS

Measurements: 600x762 cm

Volume: 103,0 m³

Roof boards: 19 mm

Roof area: 40,6 m²

Roof gradient: 1,1°

Gross ground area: 45,7 m²

OPTIONAL

Roofing felt (underlayer): 8 rolls, SBS

roofing material: 8 rolls, roofing nails,

EPDM, rain gutters, anchors, arch from

laminated wood, extension. See Optional

Products p. 242-257 for details.

TREATMENT OPTIONS



101038
brown dip



101040
grey dip




101039
clear white dip




108960
white primer



120x120 mm




A: 221 cm
B: 244 cm



mm

OPTIONAL PRODUCTS

SEE OPTIONAL PRODUCTS, PAGES 242-257



House	Art. No.	Roofing felt, rolls	SBS roofing material, rolls	Shingles ¹ , packs	Roofing nails, 1 kg	EPDM ²	Rain gutters	Anchor, adjustable post leg	Carport arch, laminated wood	Extension
Robert 11,7 m ²	101013	107210 5 rolls	107214 5 rolls	8 packs	107930		106632	106608		
Robert 20,6 m ²	101029	107210 9 rolls	107214 9 rolls	14 packs	107930		106632	106608		
Karl 11,7 m ²	101021	107210 6 rolls	107214 6 rolls		107930	107172	106627	106608	102765	
Karl 23,1 m ²	101025	107210 6 rolls	107214 6 rolls		107930	107168	106627	106608	102765	102781
Karl 20,6 m ²	101033	107210 7 rolls	107214 7 rolls		107930	107174	106628	106608	102765	
Karl 40,6 m ²	101037	107210 8 rolls	107214 8 rolls		107930	107175	106628	106608	102765	102785

¹ Shingles are available in different colours - 107180 = Black, 107182 = Red, 107183 = Green, 107181 = Brown.

² Includes glue for EPDM installation. Read more about EPDM p. 249.

The article number is indicated to untreated items, for treated items ask our sales team.